

AVC NCMS321M04 QUICK START GUIDE

4D MULTISENSOR NETWORK CAMERA

1. Installation

Wall Mount





Step 1: Stick the mounting template to the wall, drill 4 screw holes and 1 tail cable hole.



Step 2: Hammer the 4 anchors into the drilled wall holes.

Step 3: Align the 4 anchors with the holes of the bracket, install the gasket and the spring washer, then lock all 4 nuts.



Step 4: Fasten the anti-dropping rope of the locked camera into the suspending rope loop of the bracket.



Installation Method



Step 5: After the tail cable of the camera passes through the bracket, align the notch of the adapter cover with the rivet position of the bracket and insert it into the bracket hole.



Accessories



Step 6: After rotating the camera to the proper position, tighten 2 "socket head caps screws" (M6*16) on the bracket.

2. Camera Connection Diagram



Attention : There are 2 connection modes.

- 1. For non-PoE connection. please connect the camera to a PoE device then connect it to the NVR or the router.
- 2. For PoE connection, please connect the camera directly to a PoE NVR or a PoE device.

3. Install the App

• Search for "AVY Mobile One" in App Store or Google Play.





• Scan the QR code below to download the App.





4. Camera Settings

* ÷ 1. Click menu 较 Remote Setting 🛠 Local Config 📶 File List 2. Click Device List No Channel (()) Oevice 🔕 🗮 Device List 💡 Help About 💿 🛱 🖽 🗸 🚇 Edit Information Device List Device Marada New Device 👝 🕂 嬲 Media Port **₹ Þ** User Name Password 0 ₹ 1 ß \triangleright ٥ Information can be set manually by selecting Manual Add.

Open "AVY Mobile One", you will see the following interface to add the cameras.

If add the device successfully, you will see the following interface.



Please refer to "Help" section for more detailed instruction.

MYCON	*	< Help	
MOBILEONE		Live	>
Demete Cetting		Playback	>
X Remote Setting		File List	>
🛠 Local Config		Device List	>
		Notifications	>
🚛 File List		AI	>
📒 Device List	((*))		
€ Notifications			
🎯 Help			
(i) About			
	¢Qə		

5. In Windows

- 1. Log in to www.al8.co and click "Device Search for Windows" to download the "AVYCON Device Tool" software. All available devices on the local network can be discovered.
 - Image: Contract of the second seco
- 2. The information of a selected device, such as IP address, Media Port, Web Port, Gateway, Subnet Mask and Net Mode, can be modified from the "AVYCON Device Tool" software.

3. Launch the web browser and enter the device's IP address. Provide the username and password in the interface below to access the device.





4. After login, click "Remote Setting" to change the setting.



6. MAC OS

- 1. Open your router web interface and log in.
- 2. Find the "Attached device" or "Connected device" menu. Find the device's IP address according to its MAC address. The Mac address is labeled on the device.

BASIC	DVA	ICED		English				
Home		Attached Devic	88					
Internet						On the Assessed Condition in address or March disea		
Wireless				Access Centrol, Termed General Role: Allow all	On new devices to connect	Refresh		
Attached Devices		Whed Devices	Desire Name	E Lábras	MIC Address	Connection Term		
Parental Controls		Allowed	-University	192,192,3 8	00 A0 F9 82 F8 F4	wind		
		Allowed	MachookPEG. (MP7	102 103 1.40	49.60 87.40 63.49	wined		
ReadySHARE		Allowed	MACBOOKPRO-38C7	192.199.3-61	40/6C/8F/4D/50/RD	vited		
		Allowed	MACBOOKPRO-3923	182 188 3 42	40.6C.8F.4D.55.78	wheel		
Guest Network		Allowed	ESP-PC	192,199,3.57	\$45E089E9513	vited		
		Allowed	PAYRELLYLAFTOP	192,165,3,60	A4 5D 38 75 9D 62	wind		
		Allowed	PAULWHIPCOM9E	192.199.3.63	C4:34:68:42:37:F7	vied		
		Allowed	KAREMIN, LIMMS-P	182,188,3.68	80.01.65.44.03.22	ward		
		Allowed	REBECCAFARR_LAP	192,199,3,75	1458:00:00:98:68	wind		
		Allowed	STEVEPLAPTOP	182.168.3.81	A4 50 38 75 90 08	ward		
		Allowed	JEMMAPO	192,180,3.04	78/63/85/88/47:96	wind		
		Allowed	ELANEVALUS HP	192,168,3,89	28233535420	witted		
		Allowed	PETER-HOLDER	192.190.3.92	A8:20:08:28:05:01	wined		
		Aboved	MACBOOKPRO-ASAE	182,168,3,94	88.58.35.98.45.06	ward		
		Allowed	AMIE_LAPTOP	192,198,3,137	A8 20:08 20:20:0E	wind		
		Aboved	ADMINIPHOTOCOPIE	182 188 3 147	5235F35CF973	ward		
		Windess Devices (W	treless introders also show up here)					
		Status	Device Name	P Address	MAC Address	Connection Type		

Picture for reference only

3. Input the device's IP address in Safari, log in with your username & password.

4. After login, click "Remote Setting" to modify the setting.

NYCON[®]



Copyright @ AVYCON. All rights reserved. Specifications and pricing are subject to change without notice.

phone: 949-752-7606 email: info@avycon.com social: @avycon_aivo website: avycon.com